

C



JAY R. SMITH MFG. CO.
 DIVISION OF SMITH INDUSTRIES, INC.
 POST OFFICE BOX 3237
 MONTGOMERY, ALABAMA 36109-0237 (USA)
 TEL: 334-277-8520 FAX: 334-272-7396 www.jrsmith.com



MEMBER OF:



LOCATION

RECREATIONAL VEHICLE SANITARY DUMPING BAY DRAIN

DRAWING NUMBER
SQ-2-2940

SIZE
A

SCALE:
NONE


DATE:
6-27-02

APPROVED BY:
CL

CHECKED BY:
CEL

DRAWN BY:
RN

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA.



A (Pipe Size) = 04(100) or 06(150)

- Fig. SQ-2-2940C.....CAULK OUTLET
- Fig. SQ-2-2940T.....THREADED OUTLET

*NOTE: The potable water supply to which a flushing type drain is connected must be protected by a suitable vacuum breaker.

For water central supply boxes, see Fig. 3380/3385.

REGULARLY FURNISHED:
 Cast Iron Body with Acid Resistant Coated Interior, Nickel Bronze Top with Secured Grate, 4"(100) Diameter Waste Receptor and Flushing Connection.

VARIATIONS:

- Vandal Proof Grate -U
- Non-Freeze Post Hydrant (Specify 5910-WH)

OPTIONAL MATERIALS:

- Duco Cast Iron Body -CI
- Galvanized Cast Iron -G
- Polished Bronze Top -PB

NOTE: Dimensions shown in parentheses are in millimeters.

SQ-2-2940

FIGURE NUMBER

REV.	DATE	DESCRIPTION	BY	CKD.
C	04-25-03	Revised Standpipe	JJ	CL
B	3-11-03	Revised Standpipe	TBW	CL
A	7-11-02	Revised Dwg.	RN	CL

WEIGHT POUNDS	VOLUME CUBIC FEET

FIGURE NUMBER
SQ-2-2940